	1	Recei	ving Rep	ort		
D	ate: <u>                                     </u>		Batcl	n No: <u>M</u>	11747	3
s	upplier: MALNA		Dart	P/O:,	<u>/ W /</u>	
Packing Slip: Invoice: Receipt: Discrepancies	Yes No Yes No Cash Cr	s Q	elease Note A Vaybill Attache hipment Com C6 Inspection Vork Order	ed: Ye plete: ¥		N/A — N/A N/A N/A N/A
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M63617	6T/000W 180	r 84	Ú	ن	54	
				cote	over	
m) by Ro	375	48	49,2	1	13.	
,		Initials	of receiver (	if shipment	OK) Level	12 66
Production/Ad Date Received/Cos Initial	09/08/21				Locati	on

H:\FORMS\Purchasing\approved purch\RECREPORT\_Rev D ....



### Magna Stainless

5775 Kieran St, Saint-Laurent QC H4S 0A3 Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

### INVOICE



SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY , ON K6A 1K7 Pg 1 of 1 1015576

SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY, ON
K6A 1K7

MTR:Y

INVOICE DATE:	08/19/09
ORDER DATE:	08/18/09
SHIP DATE:	08/19/09
ORDER NUMBER:	W017139
PURCHASE ORDER:	P010201

Currency	т —	Sale	s Person	1	Ship Via	 	F.O.B.	Terms		
CANADIAN DOLLARS	ERYCK				AID	NET 30 DA	AYS			
							Shipped	Price Per	Value	
Ln Back Ordered C		Unit PC	STAINLESS R SRB 304 3/8" L030119	OUNDS x R/L	scription		Shipped 4 UN	Price Per	Value 60.00	

08/20/09 14:28:01

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSM ULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

Merchandise:	60.00
Surcharges:	
No Tax Costs:	
GST	3.00
Total Due:	63.00

Q.S.T. # 1213236471 G.S.T. # 881565899 RT0001

## **Purchase Order Receipt Listing**

August 21, 2009 10:58:38 AM

All amounts are calculated in domestic currency.

All Vendors PO ID po10201 All Receipt Dates All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description Cert Std		PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Ven	dor Nam	e VC-I	MAG002	Magna	Stainless							
PO10201	1		M304R0.37	15	f	8/14/09	8/21/09	49.0166	\$1.25	0.0000	0	\$61.27
CAÐ	No		304 ROUNI 0.375 112473	D BAR	f	48.0000	LAVO01		\$61.27	0.0000	0	
										Total Received C	Quantity:	49.0166
									Total	Qty to Inspect (P	O U/M):	0.0000
										Total Reject C	Quantity:	0.0000
										Total Receip	ot Value:	\$61.27
									To	tal Balance Due C	Quantity:	0.0000



## Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3 Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

## **PACKING LIST**

I	01	557	6
Page:	1	οf	1

SOLD'TO: DART AEROSPACE LTD 1270 ABERDEEN STREET SHIP TO: DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY K6A 1K7

Contact: CHANTAL

, ON

HAWKESBURY

, ON

K6A 1K7

Ship Terms: PREPAID

MAC. STOCK

SPECIAL INSTRUCTIONS

Aub 19'09'

Currency		Sales P	erson Customer Phone	Customer Fax	Custo	omer PO
CANADIAN D		ERYCK BLAIS	(613) 632-5200	(613) 632-105		
Sales Order	s Order Terms		Ship Via	Date Ordered	Date Required	Date Shipped
W017139	NET 30 DAYS L.	と	NIR:R-557065-1	08/18/09	08/19/09	08/19/09
Ordered	Back Ordered Unit		Description	Bundle #	Heat #	Shipped

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
4		PC	STAINLESS ROUNDS SRB 304 3/8" x R/L 12'3" 20 LB / 4 PC	L030119	423098	<u>_4</u>
			Ac4/3/17			
; 						
Bundles: 1				Total	Weight:	20 LB

eceived by:	Date:	Signature:
-------------	-------	------------



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO10201

Purchase Order Date 8/12/09 PO Print Date 8/12/09

Page Number 1 of 1

Order From:

MAGNA STAINLESS 5775 RUE KIERAN ST LAURENT, QC H4S 0A3 VC-MAG002

Contact Name

Vendor Phone

800 363 6646

Vendor Fax

514 339 1105

Vendor Account Nbr

Buyer

Requisition Nbr

Tax Resale Nbr

Terms Currency

**FOB** 

Chantal Lavoie

10127-2607

Net 30

CAD

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line Nb	r Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable Un	Req Qty/ ait of Measure	Ship Method	Unit Price	Extended Price
I N	И304R0.375	304 ROUND BAR 0.375	8/14/09 Yes	48.00 f	Yours ppd  Mc 49.	\$1.2500 30 Por/8/19	\$60.00
		Special Inst:	MATERIAL: AISI STEEL ROD NOTE: AISI 303 N				
2	M6061T6T1.000W.188	6061T6 RD TUBE 1.00 X	8/20/09	84.00	Yours ppd	\$6.2500	\$525.00
		.100.	Yes	f			

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080

OR AMS 4082 OR QQ-A-200/8

OR QQ-A-225/8

PO Total:

\$585.00



No substitution or deviation without

consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 8/12/09

## Acciaierie Valbruna s.p.A.





#### CERTIFICATO DI COLLAUDO **ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE** CERTIFICAT DE RECEPTION EN 10204 (2005), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

VALBRUNA CANADA LTD **8724 HOLGATE CRESCENT** L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Oggetto Prove: - Annealed Cold Drawn

Tipo di Elaborazione: E+AOD

Ordine nr: 906002285 Stock - Canada

Avviso di Spedizione: D-VI09014160 Certificato nr: MEST762530/2009/

Conferma ordine nr: El09003016

Marchio di Fabbrica: Zeichen des Lieferrwerkes Trade mark Sigle de l'usino produtice

AMS 5647 H S30403 (1)

ASME SA320 2007 B8 (7)

ASTM A193 2008B B8 (A)

ASTM A314 2008 S30400/03

ASTM A473 2001 S30400/03 (c)

Punzone del Collaudatore: Stempel des Werkssachverständigen Inspector's stemp/Poincon de l'assayeur

ASME SA182 2007 S30400/03 (4)



Specifiche:

rderungen / Requirements / Exigences

VSI 0 304/304L A,CF AMS-QQ-S-763 B 304 2 ASME SA193 2007 B8 5 ASME SA479 2007 S30400/03 A 8 ASTM A262 2002A PRACTICE E ASTM A320 2008 B8 B ASTM A479 2008 S30400/03 A

(0) Chemical analysis only.(2) Chemical analysis only.

(4) SEC.II PT.A 2007 EDITION ADD. 2008a (5) SEC.II PT.A 2007 EDITION ADD. 2008a (6) SEC.II PT.A 2007 EDITION ADD. 2008a

(7) Chemical analysis only (9) Chemical analysis only

(B) Chemical analysis only.

AMS 5639 H S30400 o AMS-QQ-S-763 B 304L 3 ASME SA276 2007 S30400/03 A,CF 6 ASTM A182 2008A S30400/03 9 ASTM A276 2008A S30400/03 A,CF ASTM A370 2009 .

MIL-S-862 B/1 304/304L 1Chemical analysis only.

3Chemical analysis only. 4Chemical analysis only. 5Chemical analysis only. 7SEC.II PT.A 2007 EDITION ADD. 2008a

8SEC.II PT.A 2007 EDITION ADD. 2008a

AChemical analysis only. CChemical analysis only.

Qualitá: 304/304L

Marca: MVAISL MAXIVAL

Punzonatura: 304/304L

Pos. nr. Pos. nr. Itam nr. Nr. do poste	Oggetto Gegenstand Product description Descrip, du produit	Dimensioni - In Abmessungen Dimonsion Okmension	Tolleranza Tolleranz. Allowanco Tolerance	Lunghezza - In Lango Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahi Pieces Pieces	Peso - LB Gewicht Weight Poids	Lotto nf. Lotni, Lotni,
0010	Round	0,3750	484-06B	144 / 148	423098		2.205	902400070

Sono state soddisfatte tutte le condizioni richieste Die gestollen Anforderungen sind it. Anlage erfüllt The material has been lurnished in accordance with the requirements Le material à eté trouvé conforme aux exigences

Controllo antimescolariza: OK Verwichslungprüfung: spectratan Antimixing testing porformed: OK Contrôle antimelange falt: r.e.s.

Controllo visivo e dimensionale: soddista le esigenze: Besichtigung und Ausmessung: ofine Beanstandung Visual inspection and dimensional checks:eatisfactory Contrôle visual at dimensions: aatisfaisant

		Test	on deliv	ery condition Prū		T ALLO STA eitem produkt le				ol material así	come entregac	lo			
TEST	Provetta/processes Speciamon/Eprocesses Speciam Spece Bords Disan, Dicker Width Diam, Thickness Larg, diam, opein MM	۰F	Posiz. Saggio Anterespo Locates Empleones	Snervamento Streetgronze Yold Streets Unite classique Rp 0,2% k.s.i.	Snervamento Szedgietze Yold Szets Linto dasigna	Resistenza Zenjesigten Tersile strengen Resistance & traction  Rm k.s.i.	Brucho	amento  onung pation E 4d %	Brss Roduct St	izione chninung fon of eres riction RA %	Resilie Kertuchs Ampact V Resilie	garbot /alvo		Urezza Haorie Haoriess Ourola HB	i
Anfonderu	ri richiesti 1 ngen/floquired valuos urs demandeos	mi ma		45	-	90	-	30	- 40		*		-		
Α	8,75	68	L	89		110		35		67			259		

TEST	Descrizione	MIN	MAX	Valore	
Α	Grain size for ASTM E112			6	

I)L-langitudinale/längs, T-trasversale/quer, Q-Tangenzia

Mechanical properties according to ASTM A370.

#### Analisi chimica

Colata Mest Schmelze/Coulóo	min - max 0,030	1,00	2,00	18,00 20,00	- 1,00	- 1,00	8,00 10,50		0,040	0,020 0,030	0,100	:	:	:	:
	C %	Si%	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P%	S%	N %				
423098	0,018	0,55	1,90	18,13	0,51	0,60	8,19	0,075	0,025	0,030	0,094				

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Vicenza,25/06/09	Il collaudatore di stabilimento / der Werkssachverständige/ Works inspector / L'agent d'usine M.Rizzottfo	Pagina - 1 di 2
(Mod. MCER)	JUN 25-	

# Acciaierie Valbruna s.p.A.





CERTIFICATO DI COLLA, IDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Bostolleu/Purchaser/Client VALBRUNA CANADA LTD 8724 HOLGATE CRESCENT L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Oggetto Prove: - Annealed Cold Drawn

Avviso di Spedizione: D-VI09014160 Lialaranzoige/Packing list/B.L.

Ordine nr: 906002285 Stock - Canada

Tipo di Elaborazione: E+AOD

Certificato nr: MEST762530/2009/

Conferma ordine nr: El09003016

Marchio di Fabbrica: Zeichen dos Lielernwerkes Trade mark Sigte de l' usine produtrice

Punzone del Collaudatore: Stempol des Werkssachverständigen Inspector's stamp/Poincon de l'assayo



ауош

Annealing temperature: 1940°F for 0.5 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

Metted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1,5.,4.3 by TUEV and LLOYD'S

### **Chantal Lavoie**

From: Eryck Blais [eblais@magnastainless.com]

Sent: August 11, 2009 10:19 AM

To: 'Chantal Lavoie'
Subject: RE: QUOTE

HI CHANTAL

THANK YOU ERYCK

From: Chantal Lavoie [mailto:clavoie@dartaero.com]

Sent: Monday, August 10, 2009 12:37 PM

**To:** Eryck Blais **Subject:** QUOTE

Please advise price & delivery on material. 304 round bar .375" x 40 ft 4 PCS 12' \$15.00 EACH STK 6061-t6 round tubing 1" x .188" wall x 80 ft 7 PCS X 12' \$75.00 EACH 5-7 DAYS Thanks Chantal

### **Chantal Lavoie**

From: denis [denis@aciercampi.com]

**Sent:** August 6, 2009 2:30 PM

To: 'Chantal Lavoie'
Subject: RE: QUOTE

First week of september 2.40\$ ft

Fast delivery 4.55\$ ft

merci

De: Chantal Lavoie [mailto:clavoie@dartaero.com]

Envoyé: 6 août 2009 11:00

À: 'denis'

**Objet:** RE: QUOTE

Hi Denis, Please advise price & delivery on material. 6061-t6 round tubing 1" x .188" wall x 80 ft Thanks Chantal

From: denis [mailto:denis@aciercampi.com]

Sent: August 6, 2009 10:17 AM

**To:** 'Chantal Lavoie' **Subject:** RE: QUOTE

HELLO Thank you denis

De: Chantal Lavoie [mailto:clavoie@dartaero.com]

**Envoyé:** 5 août 2009 13:49

À: 'denis'
Objet: QUOTE

Please advise price & delivery on material. 6061-t6 sheet .125 x 32 sf 5.80\$ SF 6061-t6 sheet .080 x 160 sf 4' X 12' SHEET 3.37\$ SF 6061-t6 sheet .020' x 32 sf 4' X 12' SHEET 1.28\$ SF 6061-t6 round bar .750 x 48 ft 1.45\$ FT 5052h32 sheet x .063" x 64 sf 2.06\$ SF 304 sheet 16 ga x 192 sf. 4.73\$ SF 304 bar .625" x 3" x 12 ft 25.20\$ FT 304 round tubing .250" x .049" wall x 24 ft LENGTH OF 20 FT 1.70\$ FT Thanks Chantal